

task_0j7accfimmemytq9_with_calculation

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

Exercise E4 Cylindrical Coil (written test, approx. 6 % of a 120-minute written test, SS2021)
..... 2

magnetostatic, flux density, magnetic field strength, coil, flux, exam ee2 SS2021

Exercise E4 Cylindrical Coil (written test, approx. 6 % of a 120-minute written test, SS2021)

A) The magnetic flux (2 points) information is given:

Result

- Length $l = 30 \text{ cm}$,

Path Winding diameter $d = 390 \text{ mm}$,

- Number of windings $N = 240$,
- Current in the conductor $I = 500 \text{ mA}$,
- Material inside: Air

$$\mu_0 = 4\pi \cdot 10^{-7} \frac{\text{Vs}}{\text{Am}}$$

The magnetic field strength $B = \mu_0 \mu_r H$:

The proportion of the magnetic voltage outside the coil can be neglected. Determine the following for the inside of the coil:

a) the magnetic field strength (2 points)

$$B = \mu_0 \cdot N \cdot I / l = 4\pi \cdot 10^{-7} \cdot 240 \cdot 0.5 / 0.3 = 0.0005026 \text{ Vs/m}$$

$$A = \pi r^2 = \pi \left(\frac{d}{2} \right)^2$$

path

$$\Phi = B \cdot A = 0.0005026 \cdot \pi \left(\frac{0.39}{2} \right)^2 = 0.00006004 \text{ Vs}$$

$$H = \frac{N \cdot I}{l} = \frac{240 \cdot 0.5}{0.3} = 400 \text{ A/m}$$

$$H = \frac{240 \cdot 0.5}{0.3} = 400 \text{ A/m}$$

From: <https://mexle.te.hs-heilbronn.de/> - MEXLE Wiki

Permanent link: https://mexle.te.hs-heilbronn.de/electrical_engineering_and_electronics/task_0j7accfimmemytq9_with_calculation

Last update: 2024/07/03 08:55

