

# task\_8a117vmnbbmsbfz3\_with\_calculation

## Student Group

First Name	Surname	Matrikel Nr.

## Table of Contents

Exercise E1 Magnetic Field Lines (written test, approx. 6 % of a 120-minute written test, SS2024) ..... 2

magnetostatic, magnetic field lines, exam ee2 SS2024

**Exercise E1 Magnetic Field Lines**  
**(written test, approx. 6 % of a 120-minute written test, SS2024)**


The following setup of a permanent magnet affects the H-field, based on the fundamental definition of the H-field.

- Four conductors are located perpendicular to the plane of the diagram


Result: All of them conduct a current with the same magnitude, but not in the same direction.

- A permanent magnet is located in between the conductors.

- The H-field is defined by currents  $\sum I = \int H \{ \text{r m d} \} s$  .
- In the permanent magnet, there are no free currents.
- The bound currents (of the permanent magnet) create also an H field.
- This exits on the north pole and enters the magnet on the south pole (similar to the B-field)\_
- $H = B/\mu$
- The H-field from task 1 gets distracted



st 10 field lines of the H-field  
 and density for the shown



From: <https://mexle.te.hs-heilbronn.de/> - MEXLE Wiki

Permanent link: [https://mexle.te.hs-heilbronn.de/electrical\\_engineering\\_and\\_electronics/task\\_8a117vmnbbmsbfz3\\_with\\_calculation](https://mexle.te.hs-heilbronn.de/electrical_engineering_and_electronics/task_8a117vmnbbmsbfz3_with_calculation)

Last update: 2024/07/15 16:47

