

# Block 03 — Electric Resistance and Power

## Student Group

First Name	Surname	Matrikel Nr.

## Table of Contents



Ideal current source .....	2
Conductivity of Matter .....	2
Conductor .....	2
Semiconductor .....	2
Isolator .....	2

## Ideal current source

From circuit theory, we abstract the **ideal current source**:

- Delivers a fixed current  $I_s$ , independent of load voltage.
- Symbol: circle with arrow.
- U-I characteristic: vertical line at  $I = I_s$ .

Fig. ##: ideal current source



## Conductivity of Matter

<p><b>Conductor</b></p> <p>Charge carriers are freely movable in the conductor.</p> <p>Examples:</p> <ul style="list-style-type: none"><li>• Metals</li><li>• Plasma</li></ul>	<p><b>Semiconductor</b></p> <p>In semiconductors, charge carriers can be generated by heat and light irradiation. Often a small movement of electrons is already possible at room temperature.</p> <p>Examples:</p> <ul style="list-style-type: none"><li>• Silicon</li><li>• Diamond</li></ul>	<p><b>Isolator</b></p> <p>In the insulator, charge carriers are firmly bound to the atomic shells.</p> <p>Examples:</p> <ul style="list-style-type: none"><li>• many plastics and salts</li></ul>
--	---	---

From:

<https://mexle.te.hs-heilbronn.de/> - **MEXLE Wiki**

Permanent link:

[https://mexle.te.hs-heilbronn.de/electrical\\_engineering\\_and\\_electronics\\_1/block03?rev=1759066468](https://mexle.te.hs-heilbronn.de/electrical_engineering_and_electronics_1/block03?rev=1759066468)

Last update: **2025/09/28 15:34**

