

calc_logic_example

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

example for a simplification with the rule for boolean algebra

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge$$

At first we will switch the representation to the following:

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{ab} \wedge$$

At first we will switch the representation to the following:

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{ab} \wedge$$

1. Neutral Element

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{ab} \wedge$$

1. Neutral Element

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{ab} \wedge$$

2. Commutative Law

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{ab} \wedge$$

2. Commutative Law

$$\overline{a \vee (b \wedge (\bar{a} \vee c) \wedge 1) \vee a} \wedge \overline{ab} \wedge$$

3. $\textcolor{blue}{\text{\text{Idempotence}}}$

```
\begin{align*} \begin{array}{l} \textcolor{blue}{a + a} + (b \cdot (a + c)) & \textcolor{white}{\overline{ab}} \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \end{array} \end{align*}
```

3. $\textcolor{blue}{\text{\text{Idempotence}}}$

```
\begin{align*} \begin{array}{l} (a \cdot (b + c)) & \textcolor{white}{\overline{ab}} \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \end{array} \end{align*}
```

4. $\textcolor{blue}{\text{\text{Distributive Law}}}$

```
\begin{align*} \begin{array}{l} (a \cdot (b \cdot (a + c))) & \textcolor{white}{\overline{ab}} \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \end{array} \end{align*}
```

4. $\textcolor{blue}{\text{\text{Distributive Law}}}$

```
\begin{align*} \begin{array}{l} (a \cdot ((b \cdot a) + (b \cdot c))) & \textcolor{white}{\overline{ab}} \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \\ \quad \quad \quad \quad \quad \quad \quad \quad \quad & \end{array} \end{align*}
```

From:

<https://mexle.te.hs-heilbronn.de/> - **MEXLE Wiki**

Permanent link:

https://mexle.te.hs-heilbronn.de/introduction_to_digital_systems/calc_logic_example?rev=1631827595

Last update: **2021/09/16 23:26**

