

Non-inverting Operational Amplifier

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

Non-inverting Operational Amplifier	2
Op-Amp as current source	2

Non-inverting Operational Amplifier

Op-Amp as current source

An Op-Amp can not only amplify currents and voltages, it can also act itself as current source. Here is an schematic of an typical current source build by an Op-Amp:



Fig. 1: Non-inverting Op-Amp: current source

$U_{\text{DD}} \approx 10\text{V}$, $U_{\text{SS}} \approx -10\text{V}$, $R_1 \approx 100\text{k}\Omega$, $R_2 \approx 10\text{k}\Omega$, $R_3 \approx 100\Omega$

Measure the values given in the table below.

Potentiometer	U_{R2}	U_{R3}	I_{OUT}	U_{OUT}	I_{OUT}	U_{OUT}	I_{OUT}	U_{OUT}
0%								
50%		...						

Tab. 1: Op-Amp as current source: measured and calculated values

From:
<https://mexle.te.hs-heilbronn.de/> - MEXLE Wiki

Permanent link:
https://mexle.te.hs-heilbronn.de/lab05_en/non_inverting_op_amp_current_source?rev=1776954771

Last update: 2026/04/23 16:32

