

Golden Rules

Student Group

First Name	Surname	Matrikel Nr.

Table of Contents

Golden Rules 2
Op-Amp zero adjustment without feedback 2

Golden Rules

Explain the Golden Rules of the operational amplifier.

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

$\{\text{rm}\}$

Op-Amp zero adjustment without feedback

Build the following circuit in [figure 1](#) with the power supply and a multimeter.



Fig. 1: Zero adjustment

$U_{DD} = 10\text{V}$, $U_{SS} = -10\text{V}$, $R_1 = 10\text{k}\Omega$

Adjust the output of the Op-Amp to zero. Describe your results and explain them.

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

$\{\text{rm} \dots \}$

How can the sercuit be improofed? Draw an improofed version and explain it.

.....}

.....}

.....}

.....}

.....}

.....}

.....}

.....}

.....}

.....}

From:
<https://mexle.te.hs-heilbronn.de/> - **MEXLE Wiki**

Permanent link:
https://mexle.te.hs-heilbronn.de/lab05_en/op-amp_basics?rev=1775026889

Last update: **2026/04/01 09:01**

